

QLaser Solutions

January 2009

Happy New Year! We hope you had a wonderfully joyous holiday season and are as excited about 2009 as we are! It's going to be a marvelous "QLaser Solutions" year ... let's get started ...

Laser Training with Dr. Larry Lytle

Note: the opinions and ideas presented in the "Laser Training with Dr. Larry Lytle" section of this newsletter are those of Dr. Lytle only. No medical treatment claims are made or implied by the manufacturer of this laser equipment, Business Wizards, Inc., QLaser Solutions, nor any distributor associated with this equipment. This equipment is sold and intended for veterinary use.

My dentist told me that she is able to perform an Occlusal Analysis, along with Leaf Gauge Therapy for me to make certain my bite is accurate. I wanted to know if these are the kinds of therapies a Neuromuscular dentist does to fix a patient's bite?

You can have faulty proprioception and have nothing wrong with your bite so I am not sure Leaf Gauge Therapy would be of benefit. While Neuromuscular dentists do pay attention to the bite, their primary concern is to make sure the 68 pair of "dental muscles" are in harmony with the bite so as not to send faulty proprioceptive signals to thalamus of the brain which then affects your autonomic nervous system and all your internal organs - as well as your stress mechanism.

I'm copying something from a link someone forwarded to me a while ago it states that LEDs are actually better options than lasers as are safer. Would you agree with that?

No LEDs are not better than lasers - they are not coherent light and do not penetrate like lasers. Because they are scattered light, they also cannot produce a soliton wave and cannot carry electrons back into the body. LEDs

are safe and so is the Q Laser system. You can review laser classifications and safety in my book *Healing Light*.

All the laser sites I've seen say epilepsy is contraindicated, but wondered your thoughts given the caution out there.

When speaking about contraindications of low level lasers it is MANDATORY to know what power laser they are referring to. You must ask which lasers he/she is referring to - what wavelength, multiple or single diode, what power, what power density, is the laser columnated and source of power. The Q1000 is not contraindicated for epilepsy however I agree that low level lasers such as the 808 Enhancer should not be used on the brain, cancer or organs. When treating epilepsy with LLLT, you should be concerned about frequency. If you do not get positive results with mode 2 or mode 3 of the Q1000, then refer to my new book *Innate Wisdom* and select frequencies that are constructive for the condition being treated. REMEMBER the Q1000 is a class one device meaning it has non-significant risk to any condition. If this were not true those with epilepsy could not check out groceries, use laser printers or CD players.

I have candida albicans and it has been determined that this is due to heavy metal toxicity. Can the Q Laser useful for these conditions?

Candida is often blamed onto toxic metals including mercury but the major cause is an improperly functioning Autonomic Nervous

System due to faulty proprioception and too much sugar in the diet. Yes the Q1000 laser can help stop the overgrowth of Candida Albicans when used along with Belly Gelly, GeneFlora and Yeast Buster. The protocol is:

1. Stop eating sugars of all types, grains, yeast (such as in beer and wines) and molds such as in peanuts
2. Take one tablespoon of Belly Gelly daily for two weeks at bedtime – away from all essential drugs and supplements along with at least 8 oz of water.
3. On day 1 - take 4 capsules of Yeast Buster in the AM; take 4 capsules of GeneFlora in the PM; apply mode 3 of the Q1000 for one cycle each to the ascending, transverse and descending colon.

Day 2 - Take 5 capsules of Yeast Buster in the AM; take 5 capsules of GeneFlora in the PM; apply mode 3 of the Q1000 for one cycle each to the ascending, transverse and descending colon.

Day 3 - Take 6 capsules of Yeast Buster in the AM; take 5 capsules of GeneFlora in the PM; apply mode 3 of the Q1000 for one cycle each to the ascending, transverse and descending colon.

Day 4 Take 6 capsules of Yeast Buster in the AM; take 6 capsules of GeneFlora in the PM; apply mode 3 of the Q1000 for one cycle each to the ascending, transverse and descending colon.

Day 5 Take 6 capsules of Yeast Buster in the AM; take 6 capsules of GeneFlora in the PM; apply mode 3 of the Q1000 for one cycle each to the ascending, transverse and descending colon.

4. For the next two weeks take 4 capsules of GeneFlora 3 times a day and apply mode 3 of the Q1000 twice a week.
5. Apply mode 3 of the Q1000 every two weeks as shown under prevention/maintenance the rest of your life.

Will just the Q1000 laser - without additional detoxing or exercise, have any effect on removing metals from the body?

Detoxification of heavy metals is a multi organ process of involving organs such as the lymph system, bowel, the kidney and large intestine. The Q1000 laser helps the body restore normal organ cell function so should benefit the detoxifying process without other detoxifying substances. However – I still strongly encourage those with heavy metal toxicity to use the simple Belly Gelly / GeneFlora detox system and don't forget that the organs get their signals through the parasympathetic nervous system and that signal is dependent on the height of the back teeth - making proper dental proprioception equally important.

What can I do about Parkinson's Disease?

Parkinson's disease is a degenerative disorder of the CENTRAL NERVOUS SYSTEM that impairs motor skills, speech, and other functions. Follow these steps:

1. Wear Miracle Bite Tabs or a correctly made dental splint at all times to balance the Autonomic Nervous System.
2. Apply mode 1 of the Q1000/Q1000NG for six to eight breathes to proprioceptive points 1 through 4 daily or as needed.
3. Using the system outlined in my book ***Innate Wisdom*** program your Q1000 with personally designed frequencies for Parkinson's Disease, then APPLY that mode for one cycle every other day on top of the head just to the right of the skull midline.
4. Apply mode 1 of the Q1000 to sore or weak muscles for 6-8 breathes. Move and repeat as needed.
5. Detoxify with Belly Gelly and re-inoculate with GeneFlora – See Appendix D of my ***Laser Users Manual***.

More on the risk of Vioxx ...Vioxx's Heart Risk Lingered Long After Use Ended

By Steven Reinberg, HealthDay Reporter

When the pain killer Vioxx was pulled from the market in 2004 -- over concerns that it increased the risk of heart attack, stroke and death -- many assumed that stopping the drug would end the risk.

But a new study finds that "the risk was increased close to twofold, and the risk persisted for approximately a year," said co-author Dr. Robert Bresalier, a professor of medicine at the M.D. Anderson Cancer Center in Houston.

The study's researchers and other experts also believe that long-term use of most non-aspirin painkilling drugs in this class -- called non-steroidal anti-inflammatory drugs (NSAIDs) -- also boost users' risks of heart attack, stroke and death to some degree.

NSAIDs include cox-2 inhibitor drugs such as the now-banned Vioxx and Bextra, as well as the remaining cox-2 on the market, Celebrex. Those drugs target the cyclooxygenase 2 (cox-2) enzyme involved in inflammation.

NSAIDs also include less targeted anti-inflammatory medications such as ibuprofen (Advil, Motrin) and naproxen (Aleve).

For the study, Bresalier's group followed people who had participated in the international APPROVe trial, which compared Vioxx to placebo over 3 years in an attempt to see whether the drug could cut the recurrence of cancerous colon polyps. The researchers in the new study were able to contact 84 percent of the almost 2,600 people who had participated in the trial.

They found that a year after discontinuing Vioxx, ex-users still had a 79 percent increased risk of heart attack, stroke or death compared with those who had received placebo.

Bresalier suspects that long-term use of all

non-aspirin NSAIDs can raise the odds of cardiovascular trouble to some extent.

"Similar data has been evident for some of the other cox-2 inhibitors," he noted. "In fact, it seems to be a class effect for most if not all NSAIDs. There is a dose-dependent risk with Celebrex as well, whose magnitude was not that much different from Vioxx," he said.

Research

From the New England Journal of Medicine:

Individuals who have kidney disease or other ailments who regularly take aspirin or acetaminophen may be boosting their risk of developing kidney failure. Researchers report that such patients who were regular users -- those who took these painkillers at least twice a week for 2 months -- were two to three times more likely to have the beginning stages of chronic kidney failure, compared with individuals who did not use these painkillers on a regular basis. Individuals who used either drug regularly were 2.5 times more likely to be diagnosed with chronic renal failure, compared with individuals who did not use these painkillers. The risk rose in tandem with the amount of either drug taken over a lifetime, the investigators found. In looking at only participants with diabetes -- a major underlying cause of kidney failure -- regular aspirin and acetaminophen use were still linked to an increased risk. The results support those of other studies that have found an association between regular use of painkillers and an increased risk of chronic kidney failure in susceptible individuals. The results are consistent with exacerbating effects of acetaminophen and aspirin on chronic renal failure, practically regardless of accompanying disease. NEJM, 12/2001;345:1801-1808

From the Seattle Post Intelligencer, 4/18/05

The negative evidence continues to mount against taking painkiller drugs. In a study that raised questions about long-term use of over-the-counter (OTC) painkillers such as Advil, Motrin and Aleve, researchers came across an unexpected result: Although these drugs did cut the development of oral cancer by half, those positive results were superceded by an increased risk of dying from heart disease. These findings only add fuel to the fire that heart risks extend beyond prescription medications like Bextra, Vioxx and Celebrex to the broader family of painkillers known as non-steroidal anti-inflammatory drugs (NSAIDs) -- save acetaminophen or Tylenol, this includes brands of ibuprofen and nearly all other OTC pain pills. The Food and Drug Administration has recently made the decision to warn against the long-term use of all painkiller drugs; this study involving smokers is the first evidence to support that warning. (Doctors wanted to find out whether NSAIDs could prevent oral cancer because previous work suggested they helped fend off other types of cancer.) Surveying some 900 patients who were smokers and more prone to cancer and heart problems, researchers discovered that those who took OTC painkillers for a minimum of six months doubled their chances of dying from Stroke, Heart attack, Other heart-related problems. The risk, however, was highest among ibuprofen users, who were nearly three times more likely to die of cardiovascular disease than non-NSAID users.

New Testimonials

Dear Kip: I must say that you have a great product. I have used it on several different pains & problems and I have had great results with all of them. These include wasp stings, poison ivy, joint stiffness, fatigue, a very bad sinus infection, and I also walked on a long rusty nail. The most recent problem was when

my husband had a dry cough after he had been laid up in the hospital for a whole week. He could not get it loosened up, even after he was given several breathing treatments several times a day. I brought our Q10 to the hospital and just a few hours after I used it on his lung area, front and back, he coughed up a mouthful, the next morning he coughed up some more. After that second time his lungs cleared up and he no longer had the dry cough. Another thing, my son Pat had surgery several years ago for a knee injury. He put his bad knee down on a piece of metal and it caused him to limp in pain. After one treatment he had relief right away. Thank again for such a helpful product.

Audrey Miller, Sunset, LA

=====

Terry called and let me know that she recently used her Q1000 on a stud colt that had unfortunately been kicked in the hock and was lame only two days before it was supposed to go to sale. She explained in no uncertain terms that you simply cannot take a lame horse to a sale, and she thought they were going to miss their chance to sell this colt. She treated the colt with two Q1000 laser treatments which eliminated the swelling and lameness. They were able to take the colt to the sale and he turned out to be the top-selling stud colt at the sale! Terry also told me about a "Monkey Bite" she had on her leg from getting kicked by a horse. Rodeo people say these usually take from 6 months to a year to subside. She lasered and over a period of 10 days, the wound was completely healed.

Terry Trask Karrels, Terry, MT

=====

I have had knee pain in both knees for five years. Two tablespoons of ***Laser Assist Compound*** and I have no pain! I can't believe it - Thanks!

Jack Lampman, Rochester, MN